

WHITECAPS, SEA-SALT AEROSOLS, AND CLIMATE

by

Magdalena Dimitrova Anguelova

A dissertation submitted to the Faculty of the University of Delaware in partial fulfillment of the requirements for the degree of Doctor of Philosophy with a major in Marine Studies

Summer 2002

Copyright 2002 Magdalena Dimitrova Anguelova
All Rights Reserved

WHITECAPS, SEA-SALT AEROSOLS, AND CLIMATE

by

Magdalena Dimitrova Anguelova

Approved: _____

Carolyn A. Thoroughgood, Ph.D.

Dean of the Graduate College of Marine Studies

Approved: _____

Conrado M. Gempesaw II, Ph.D.

Vice Provost for Academic and International Programs

I certify that I have read this dissertation and that in my opinion it meets the academic and professional standard required by the University as a dissertation for the degree of Doctor of Philosophy.

Signed:

Ferris Webster, Ph.D.

Professor in charge of dissertation

I certify that I have read this dissertation and that in my opinion it meets the academic and professional standard required by the University as a dissertation for the degree of Doctor of Philosophy.

Signed:

Thomas M. Church, Ph.D.

Member of dissertation committee

I certify that I have read this dissertation and that in my opinion it meets the academic and professional standard required by the University as a dissertation for the degree of Doctor of Philosophy.

Signed:

Xiao-Hai Yan, Ph.D.

Member of dissertation committee

I certify that I have read this dissertation and that in my opinion it meets the academic and professional standard required by the University as a dissertation for the degree of Doctor of Philosophy.

Signed:

Edgar L. Andreas, Ph.D.

Member of dissertation committee

ACKNOWLEDGMENTS

My deep gratitude is for my advisor, Dr. Ferris Webster. I much appreciate his commitment, advice, encouragement, and support in all aspects of this work. The conversations with him, both professional and personal, were insightful, inspiring, and fun. In any important moments, tearful or mirthful, he was there to listen, understand, and mentor me. I especially value the freedom Dr. Webster gave me in the choice of my research topic, in the ways of pursuing it, and in the use of my time on research and other activities. I am scientifically more mature and independent than ever due to his guidance during the last five years. Thank you, Ferris!

I am also grateful to the other members of dissertation committee. Their expertise, valuable suggestions, and insightful comments provided much for this research. I was lucky to have Dr. Ed Andreas, the external member of the committee, who spent much time to check formulas and listen to long and fast-talked explanations of the ups and downs in my research. Every piece of advice he has given me was to the point and I have used it. Dr. Tom Church lent me his savvy professionalism, enthusiasm, collegial contacts, and trust in me. An approving nod to my data processing from Dr. Xiao-Hai Yan, who is well respected for his versatile experience in satellite oceanography and grasp of physical processes, was craved and highly appreciated.

Doug White's presence, benevolence, and humor brightened the days in our windowless office. I will miss his goodhearted picking on me. Doug, thank you

for being such a wonderful colleague and for the calm relaxing dinners with your family.

Thank you to my colleagues Katherine Bouton, James Crease, Bert Thompson, and especially Ron Wilson for their amicable acceptance in the Ocean Information Center group. Thank you to all faculties in the CMS for their excellent teaching, friendliness, and sincere interest in my professional and personal well-being. Thank you to Doris Manship, Debby Booth, and Peggy Conlon for helping me with any academic and administrative affair. Thank you to Ellen Erbe and Dorothy Allen for handling my numerous requests in the library. Thank you to all students, present and past, for allowing me to share conversations, fun, beer and dances with them. I am grateful to my Bulgarian friends who never stopped keeping in touch with warm letters.

Thank you to my mom, dad and brother whose unconditional love and unwavering support saw me through the past five years.

I dedicate this work to Andrey, my husband, and Constantin, my son.

TABLE OF CONTENTS

LIST OF TABLES	x
LIST OF FIGURES	xi
LIST OF ABBREVIATIONS	xvii
LIST OF SYMBOLS	xix
ABSTRACT	xxiii
Chapter	
1 INTRODUCTION	1
2 SEA-SALT AEROSOLS	7
2.1 Formation of sea-salt aerosols	8
2.2 Properties of sea-salt aerosols	10
2.2.1 Chemical properties	11
<i>Chemical composition</i>	11
<i>Chemical transformation</i>	12
2.2.2 Physical properties	15
<i>Phase state</i>	15
<i>Size</i>	15
<i>Size distribution</i>	16
<i>Concentration</i>	16
<i>Flux</i>	17
<i>Variability</i>	17
<i>Relative presence</i>	18
2.2.3 Optical properties	19

2.3	Climate system and sea-salt aerosols.....	20
2.3.1	Relative significance	20
2.3.2	Direct forcing	21
2.3.3	Indirect forcing.....	23
2.3.4	Atmospheric chemistry	24
	<i>Reactive halogens</i>	24
	<i>Tropospheric ozone</i>	25
	<i>Sulfur cycle</i>	26
2.4	Generation function of sea-salt aerosols.....	28
2.4.1	Definition of the sea-salt generation function	28
2.4.2	Explicit form of the sea-salt generation function.....	29
2.4.3	Evaluation of the sea-salt generation function	31
2.5	Oceanic whitecaps.....	32
2.5.1	Factors affecting the whitecap coverage.....	33
2.5.2	Whitecap coverage measurements.....	35
2.5.3	Remote sensing signatures of whitecaps.....	39
2.5.4	Whitecap detection from satellites.....	40
2.6	Scientific objectives.....	42
3	NEW METHOD FOR ESTIMATING WHITECAP COVERAGE.....	44
3.1	Method concept	44
3.2	Method implementation.....	46
3.2.1	Analytical expressions.....	46
	<i>Seawater emissivity e</i>	46
	<i>Specular emissivity e_s</i>	50
	<i>Rough sea emissivity De_r</i>	52
	<i>Foam emissivity e_f</i>	53
	<i>Void fraction choice</i>	55
3.2.2	Data.....	57
	<i>SSM/I data sets</i>	57

	<i>Frequency choice</i>	59
	<i>AVHRR T_s data</i>	62
	<i>WOA98 S data</i>	65
	<i>Data preparation</i>	67
3.2.3	Error analysis	71
	<i>Error analysis principles</i>	72
	<i>Derived error expressions</i>	77
3.3	Results.....	80
3.3.1	Emissivities.....	81
	<i>Analytical investigation</i>	81
	<i>Observations</i>	83
3.3.2	Whitecap coverage	88
	<i>Analytical investigation</i>	88
	<i>Observations</i>	89
3.3.3	Errors	92
	<i>Analytical investigation</i>	92
	<i>Observations</i>	96
3.4	Method validation	99
3.4.1	Comparison with previous <i>in situ</i> data	100
3.4.2	Comparison with wind formula	103
3.4.3	Comparison with matching <i>in situ</i> data	105
3.5	Summary and possible improvements	107
4	WHITECAP COVERAGE DATABASE	110
4.1	Database content and organization	110
4.2	Global whitecap coverage	114
4.2.1	Previous and new estimates of global whitecap coverage	114

4.2.2	Spatial characteristics of satellite-measured whitecap coverage.....	118
4.2.3	Temporal characteristics of satellite-measured whitecap coverage.....	124
4.2.4	Implications of whitecap coverage estimates	125
	<i>Whitecaps and ocean surface albedo</i>	128
	<i>Whitecaps and transfer velocity of CO₂</i>	131
4.3	Parameterization of whitecap coverage.....	137
4.3.1	Regression analysis	138
4.3.2	Implementation.....	140
	<i>Parameterization approach</i>	141
	<i>Data binning</i>	142
	<i>Sets of observations</i>	144
	<i>Regression models</i>	149
4.3.3	Results.....	155
	<i>Sea surface temperature dependence</i>	155
	<i>Salinity dependence</i>	157
	<i>Wind-speed dependence—revised</i>	159
4.3.4	Summary and possible improvements.....	163
5	THE GENERATION OF SEA-SALT AEROSOLS	166
5.1	Modifying the sea-salt generation function.....	166
5.1.1	Include additional dependencies	167
5.1.2	Extend toward smaller sizes.....	168
5.1.3	Modified generation function.....	173
5.2	Sea-salt aerosols from the modified generation function.....	173
5.2.1	Computational procedures	174
	<i>Binning of the size range</i>	174
	<i>Sea-salt production in various terms</i>	175

5.2.2	Results.....	177
	<i>Sea-salt aerosol loadings.....</i>	<i>177</i>
	<i>Spatial distribution of sea-salt aerosols.....</i>	<i>181</i>
	<i>Temporal distribution of sea-salt aerosols.....</i>	<i>184</i>
5.2.3	Performance of the modified generation function	186
	<i>Comparison with the current generation function.....</i>	<i>186</i>
	<i>Comparison with in situ observations</i>	<i>188</i>
5.3	Climate implications.....	193
5.3.1	Direct climate effect.....	194
5.3.2	Indirect climate effect	197
	<i>CCN formed on sea-salt aerosols</i>	<i>197</i>
	<i>Effect on planetary albedo</i>	<i>198</i>
5.3.3	Halogen chemistry	200
6	CONCLUSIONS	203
6.1	Major results.....	204
6.1.1	Global whitecap coverage.....	204
6.1.2	Whitecap coverage database.....	206
6.1.3	Generation of sea-salt aerosols.....	209
6.2.	Future work.....	211
Appendix		
A	VALUES USED IN THE NEW METHOD.....	213
B	DIELECTRIC PROPERTIES OF SEAWATER.....	216
C	ERROR ANALYSIS PROCEDURES.....	220
C.1	Functional dependencies.....	220
C.2	Covariant terms.....	224
D	DEPOSITION VELOCITY.....	226
	REFERENCES.....	230

LIST OF TABLES

Table 2.1	Data sets of whitecap coverage observations	36
Table 4.1	Organization of the whitecap coverage database.....	112
Table 4.2	Values for salinity, sea surface temperature, and wind speed bins.....	145
Table 4.3	Regression coefficients parameterizing the sea surface temperature dependence in the power-law and exponential-laws models applied to $W(U_{10})$	158
Table 5.1	Tabulated size distribution, df/dr_0 , over binned $0.4 < r_0 < 20 \mu\text{m}$ range.....	174
Table 5.2	Global averages of sea-salt aerosol production by size in various terms for March 1998.....	178
Table 5.3	Monthly averaged total sea-salt aerosol production in various terms..	184
Table A.1	Summary of chosen and known initial values in (3.2-3.20).....	213
Table A.2	List of regression coefficients used in (3.6-3.20).....	214
Table A.3	Temperatures used in condition (3.22) for a rain mask.....	215
Table A.4	Variances of the basic variables contributing to the error of emissivities (3.26) and whitecap coverage (3.24).	215
Table A.5	Regression coefficients for $Sc(T_s)$ relation (4.7) for Rn and CO_2 (reproduced from Erickson, 1993).....	215

LIST OF FIGURES

Figure 2.1	Schematic comparisons of the sizes of sea spray droplets (r_0 , μm) (Andreas, 2002), the sizes of marine aerosols (r_0 , r_{80} , or r_d μm) (Bates et al., 1998b), and the sizes modeled by the sea-salt aerosol function (<i>Current</i> (Andreas, 2002), <i>Extend</i> (Monahan et al., 1986), <i>NA</i> (Not Available); details in the text).	10
Figure 2.2	Locations of the whitecap measurements summarized in Table 2.1 (Location numbers correspond to the list number of the experiments in the Table).	37
Figure 2.3	<i>In situ</i> measurement of whitecap coverage, W , as a function of: a) wind speed, U_{10} ; b) water temperature, T_s	38
Figure 3.1	a) Brightness temperature, T_B , from SSM/I for 27 March (Julian day 86), 1998; 19 GHz, h polarization; ascending passes, map $0.5^\circ \times 0.5^\circ$	59
	b) Wind speed, U_{10} , and c) water vapor, V , from SSM/I for 27 March (Julian day 86), 1998; ascending passes, map $0.5^\circ \times 0.5^\circ$	60
	d) Cloud liquid water, L , from SSM/I for 27 March (Julian day 86), 1998; ascending passes, map $0.5^\circ \times 0.5^\circ$	61
Figure 3.2	a) Sea surface temperature, T_s , for 27 March (Julian day 86), 1998, ascending passes; map is $0.5^\circ \times 0.5^\circ$	65
	b) Seawater salinity, S , for March 1998. Map is $0.5^\circ \times 0.5^\circ$	67
Figure 3.3	a) Effect of wind mask on $T_B(h)$ for Julian day 86, 1998 (compare with 3.1a).	68
	b) Effect of clear sky mask on $T_B(h)$ for Julian day 86, 1998 (compare with 3.1a).	69
	c) Effect of rain mask on $T_B(h)$ for Julian day 86, 1998 (compare with 3.1a);	70
	d) Distributions of T_s values without (black bars) and with (white bars) rain mask applied, and percentage of cells removed by the mask at various T_s values (solid line and axis at right).	70

Figure 3.4	a) Effect of the composite mask on $T_B(19h)$ for day 86 (27 March), 1998. Map $0.5^\circ \times 0.5^\circ$; b) Distribution of $T_B(19h)$ values left after applying all masks.....	72
Figure 3.5	a) Effect of the composite mask on U_{10} for day 86 (27 March), 1998. Map $0.5^\circ \times 0.5^\circ$; b) Distribution of U_{10} values left after applying all masks. ..	73
Figure 3.6	a) Effect of the composite mask on S for day 86 (27 March), 1998. Map $0.5^\circ \times 0.5^\circ$; b) Distribution of S values left after applying all masks.....	74
Figure 3.7	a) Effect of the composite mask on T_s for day 86 (27 March), 1998. Map $0.5^\circ \times 0.5^\circ$; b) Distribution of T_s values left after applying all masks.	75
Figure 3.8	a) Effect of the composite mask on V for day 86 (27 March), 1998. Map $0.5^\circ \times 0.5^\circ$; b) Distribution of V values left after applying all masks.....	76
Figure 3.9	All emissivities in (3.2) under clear sky ($L = 0$ mm) at most frequently occurring S , T_B , V , and U_{10} as functions of: a) T_s ; b) T_B ; c) V at various T_B	82
Figure 3.10	Demonstration of the effect of intervening atmosphere with real emissivity values. Comparison of e and $e_s + \Delta e_r$ over the observed range of: a) water vapor, V ; b) wind speed, U_{10} ; c) brightness temperature, T_B ; d) observed T_B and U_{10} values over the range of observed V	85
Figure 3.11	Seawater emissivity, e (a), and specular emissivity, e_s (b), for 27 March (Julian day 86), 1998; maps $0.5^\circ \times 0.5^\circ$	86
	Rough-sea emissivity, Δe_r (c), and foam emissivity, e_f (d) for 27 March (Julian day 86), 1998; maps $0.5^\circ \times 0.5^\circ$	87
Figure 3.12	Values of brightness temperature, T_B , above critical points (marked with vertical lines) for different atmospheric humidity, V , yield valid estimates of whitecap coverage, W	89
Figure 3.13	Result of new method estimation for 12 March (Julian day 86), 1998; map $0.5^\circ \times 0.5^\circ$: a) Whitecap coverage, W ; Distribution of W -values.	90
Figure 3.14	Comparison of the W -value distributions at different void fractions α . .	91
Figure 3.15	Sensitivity coefficients as a function of T_s : a) E_{ei} for seawater emissivity, e ; b) E_{si} for specular emissivity, e_s ; c) E_{ri} for emissivity of rough sea, Δe_r ;	

	d) E_{fi} for foam emissivity, e_f . Index i has different notations for each variable involved in the errors of the emissivities.....	93
Figure 3.16	Sensitivity coefficients and their respective variances for W as a function of T_s (panels a and b), and as a function of V (panels c and d).	94
Figure 3.17	Relative error of whitecap coverage, W , as a function of brightness temperature, T_B , at various water vapor, V , (solid lines and left axis). Values of W for each error curve are also plotted (dotted lines and right axis). Water vapor determines the points above which T_B values can be used to estimate W (vertical lines).	96
Figure 3.18	Relative error for estimating whitecap coverage, W	97
Figure 3.19	Distribution of the relative error of whitecap coverage for 27 March 1998.	99
Figure 3.20	Comparison of <i>in situ</i> -measured whitecap coverage, W (data sets in Table 2.1), with satellite-measured W for 27 March 1998.	100
Figure 3.21	Comparison of individual <i>in situ</i> measurements of whitecap coverage with collocated new method estimates for 1998.	102
Figure 3.22	Whitecap coverage, W , calculated with wind speed formula (2.3) from the wind field for 27 March, 1998.	104
Figure 4.1	Difference in the mean whitecap coverage values, ΔW_U , for March 1998 computed with wind-speed formula (2.3) using monthly mean wind field for March 1998, W_{Uavr} , and 31 daily wind fields, W_{Uins} , for March 1998. Red represents cases of $W_{Uins} > W_{Uavr}$; blue represents cases of $W_{Uins} < W_{Uavr}$	117
Figure 4.2	Mean whitecap coverage for March 1998 obtained with the new method (average of 31 daily maps of W).	119
Figure 4.3	a) Mean whitecap coverage for March 1998 computed with wind-speed formula (2.3) and daily values of wind speed; b) Difference ΔW between the mean W -values for March 1998 obtained with the new method and wind-speed formula: red shows $W_{\text{new method}} > W_{\text{wind formula}}$; blue shows $W_{\text{new method}} < W_{\text{wind formula}}$	120

Figure 4.4	Monthly mean fields (March 1998) for: a) wind speed; b) sea surface temperature; c) salinity.	123
Figure 4.5	Boreal seasonal means of the global whitecap coverage for 1998 (maps $0.5^\circ \times 0.5^\circ$): a) winter (Dec-Jan-Feb); b) spring (Mar-Apr-May); c) summer (Jun-Jul-Aug); d) fall (Sep-Oct-Nov).....	126
Figure 4.6	Monthly variations of the global whitecap coverage for 1998: a) in Northern and Southern hemispheres; b) globally.....	127
Figure 4.7	Global map ($0.5^\circ \times 0.5^\circ$) for 1998 of annually averaged changes in outgoing radiative flux $\langle \Delta F \rangle$ due to presence of whitecaps on the ocean surface.	131
Figure 4.8	Global map ($0.5^\circ \times 0.5^\circ$) for 1998 of annually averaged CO_2 transfer velocity estimated from annual whitecap coverage obtained with the new method.....	135
Figure 4.9	The relation $W(U_{10})$ for March 1998, observational set #1 (Julian days 60 to 67) in 12 T_s -bins at salinity bin S5 ($S = 33.8 - 34.00$ psu).	147
Figure 4.10	All 4 observational sets for $W(U_{10})$ relation for March 1998.	150
Figure 4.11	Average whitecap coverage for each observational set in all T_s -bins at salinity bin S5.....	151
Figure 4.12	Averaged observational sets of $W(U_{10})$ relation for March 1998 in all T_s -bins at salinity S5.	152
Figure 4.13	Averaged observational sets of $W(U_{10})$ relation for March 1998 in all S-bins at sea surface temperature T8.....	153
Figure 4.14	Regression coefficients a , b , and c for cubic polynomial applied to $W(U_{10})$ as a function of sea surface temperature.	156
Figure 4.15	Values and regression curves for the sea surface temperature dependence of the regression coefficients a and b resulting from the power-law model applied to $W(U_{10})$	157

Figure 4.16	Values and regression curves for the salinity dependence of the regression coefficients a and b resulting from the power-law model applied to $W(U_{10})$.	159
Figure 4.17	Performance of power-law parameterization: a) comparison between satellite-measured W (light gray circles), $W(U_{10}, T_s)$ parameterization (open circles), and $W(U_{10})$ parameterization (dark gray circles); b) comparison between satellite-measured W and $W(U_{10}, T_s)$ parameterization.	160
Figure 4.18	Performance of exponential law parameterization: a) comparison between satellite-measured W (light gray circles), $W(U_{10}, T_s)$ parameterization (open circles), and $W(U_{10})$ parameterization (dark gray circles); b) comparison between satellite-measured W and $W(U_{10}, T_s)$ parameterization.	161
Figure 4.19	Comparison of satellite-measured and exponential-law parameterized W at different sea surface temperatures T_s .	162
Figure 4.20	Monthly map (March 1998) of parameterized whitecap coverage $W(U_{10}, T_s) = a(U_{10}, T_s) \cdot \exp[b(U_{10}, T_s) \mathcal{U}_{10}]$.	163
Figure 5.1	Size distributions, df/dr_0 , modeled with Andreas (1992) and Monahan et al. (1986) functions over size range of 0.1 - 20 μm .	170
Figure 5.2	a) Connected size distributions over $0.4 < r_0 < 20 \mu\text{m}$ range; b) Binned size distribution.	172
Figure 5.3	Size distribution of globally averaged number flux, dF/dr_0 , for selected wind speeds.	179
Figure 5.4	Size distributions of globally averaged number (a) and mass (b) concentrations of sea-salt aerosols.	180
Figure 5.5	Total number flux, dF/dr_0 , for March 1998 (map $0.5^\circ \times 0.5^\circ$).	181
Figure 5.6	Difference in solar irradiance between model and observations: a) no aerosols considered; b) various aerosols, except sea-salt, considered. From Haywood et al. (1999).	182

Figure 5.7	Latitudinal variations of sea-salt production flux: a) Comparison to the flux calculate using wind speed; b) Seasonal variations in the latitudinal patterns.....	183
Figure 5.8	Seasonal variation of sea-salt mass flux for both hemispheres	185
Figure 5.9	Comparison between current and modified generation functions: a) Volume fluxes calculated in three ways; b) Number fluxes.....	187
Figure 5.10	Comparison with sea-salt measurements reported by Reid et al. (2001): a) Measurements and this study’s calculations; b) Monahan et al. (1986) model added.....	189
Figure 5.11	Comparison with sea-salt measurements reported by O’Dowd et al. (1997).....	190
Figure 5.12	Comparison with sea-salt measurements reported by Smith et al. (1993).	192
Figure D.1	Deposition velocity over a wide range of sizes at $U_{10} = 15 \text{ m s}^{-1}$	229

LIST OF ABBREVIATIONS

ACE-1	The first Aerosol Characterization Experiment
ACE-2	The second Aerosol Characterization Experiment
APC	Antenna Pattern Correction
ATSR	Along-track scanning radiometer
AVHRR	Advanced Very High Resolution Radiometer
CCN	Cloud Condensation Nuclei
CTD	Conductivity-Temperature-Depth
DMS	Dimethyl Sulfide
DMSP	Defense Meteorological Satellite Platform
DN	Digital Numbers
ERBE	Earth Radiation Budget Experiment
ems	Electromagnetic spectrum
Gas Ex-98	Gas Exchange Experiment 98
GCM	General Circulation (Climate) Model
GHRC	Global Hydrology Resource Center
HDF	Hierarchical Data Format
IPCC	Intergovernmental Panel on Climate Change
JPL	Jet Propulsion Laboratory
MBL	Marine Boundary Layer
MODIS	Moderate Resolution Imaging Spectroradiometer
MSFC	Marshall Space Flight Center

N	North
NH	Northern Hemisphere
NCDC	National Climatic Data Center
NODC	National Oceanographic Data Center
nss	non-sea-salt
OCL	Ocean Climate Laboratory
PO.DAAC	Physical Oceanography Distributed Active Archive Center
RH	Relative Humidity
RTE	Radiative Transfer Equation
S	South or chemical element sulfur depending on the context
S1 ... S20	Salinity bin number 1 ... 20
SeaWiFS	Sea-viewing Wide-Field-of-View Sensor
SH	Southern Hemisphere
SMMR	Scanning Multichannel Microwave Radiometer
SSM/I	Special Sensor Microwave Imager
SST	Sea Surface Temperature
T1 ... T12	Temperature bin number 1 ... 12
WOA98	World Ocean Atlas 1998
WOD98	World Ocean Database 1998

LIST OF FREQUENTLY USED SYMBOLS

a	Regression coefficient (slope) or absorption of seawater depending on the context
a_L	Attenuation coefficient of cloud liquid water
a_O	Attenuation coefficient of oxygen
a_V	Attenuation coefficient of water vapors
b	Regression coefficient (exponent)
C	Surfactant concentration, rel. units
d	Wind duration, h
dF/dr_0	Sea-salt generation function in terms of r_0
dF/dr_{80}	Sea-salt generation function in terms of r_{80}
df/dr_0	Size distribution (dependence) of the sea-salt generation function in terms of r_0
df/dr_{80}	Size distribution (dependence) of the sea-salt generation function in terms of r_{80}
dm/dr_0	Size distribution of particle mass concentration for r_0
dm/dr_{80}	Size distribution of particle mass concentration for r_{80}
dN/dr_0	Size distribution of particle number concentration for r_0
dN/dr_{80}	Size distribution of particle number concentration for r_{80}
e	Composite emissivity of seawater
E_{ei}	Sensitivity coefficients for composite seawater emissivity
e_f	Foam emissivity

E_{fi}	Sensitivity coefficients for foam emissivity
E_{ri}	Sensitivity coefficients for rough seawater emissivity
e_s	Specular emissivity of seawater
E_{si}	Sensitivity coefficients for specular seawater emissivity
f	Wind fetch, km
f_r	Frequency of radiation, Hz
F	Total particle number flux, s^{-1}
F_m	Total particle mass flux, $kg\ s^{-1}$
h	Horizontal polarization of radiation
k	Atmospheric extinction coefficient
L	Cloud liquid water, mm
N	Total number concentration of particles or number of pixels depending on the context
Q	Water fraction of a foamy mixture
r	Reflectivity of seawater
$r.e.w$	Relative error of whitecap coverage
r_f	Reflectivity of foam
r_0	Droplet radius at formation, μm
r_{80}	Droplet radius at RH = 80%, μm
S	Salinity, psu
t	Atmospheric transmittance
T_{CB}	Brightness temperature of cosmic background, K
T_B	Brightness temperature, K
$T_B(h)$	Brightness temperature [K] at horizontal polarization

T_{BD}	Brightness temperature of downwelling radiation, K
T_{BU}	Brightness temperature of upwelling radiation, K
T_s	Sea surface temperature, °C
U_{10}	Wind speed at 10-m reference height, m s ⁻¹
V	Water vapor content, mm
v	Vertical polarization of radiation
W	Whitecap coverage, fraction or %
W_x	Sensitivity coefficients for W due to variable x
a	Void fraction of a foamy mixture
ΔT	Atmospheric stability
Δe_r	Correction for emissivity of rough seawater
w	Dielectric constant of seawater (a complex number)
e', e''	Real and imaginary parts of dielectric constant of seawater
e_f	Dielectric constant of foam (a complex number)
e'_f, e''_f	Real and imaginary parts of dielectric constant of foam
e_s	Static dielectric constant of seawater
e_∞	Dielectric constant of seawater at infinite radiation frequency
l	Wavelength of radiation, m
ω	Frequency of radiation, rad.
s	Conductivity of seawater
s_x	Standard deviation of a variable x
s_x^2	Variance of a variable x
$s_{Y X}$	Standard deviation of a regression
r	Density of sea-salt droplets, kg m ³

q	Incidence angle of radiation, deg.
t	Relaxation time of a material
t_w	Lifetime of an individual whitecap

ABSTRACT

Oceanic whitecaps are the major source of sea-salt aerosols to the atmosphere. The inclusion of the effects of sea-salt aerosols into various atmospheric processes improves the predictions of climate models. This study proposes modifications to the sea-salt generation function used in models in order to predict more realistic loading of sea-salt aerosols. A new method for estimating whitecap coverage on a global scale has been developed for this purpose.

The new method relates whitecap coverage to the microwave emissivity of the foam-free and foam-covered ocean surface, which is retrieved from satellite-measured brightness temperature. Whitecap coverage evaluated with this method incorporates the effects of various environmental and meteorological factors such as atmospheric stability, sea surface temperature, salinity, wind fetch, wind duration, and surfactant concentration.

The influence of these factors on the production of sea-salt aerosols is incorporated in the sea-salt generation function by assimilating the whitecap coverage estimates obtained with the new method. The applicability of the generation function is extended toward smaller aerosol radii, from 1.6 μm down to 0.4 μm . With these two modifications, a sea-salt generation function relevant for climate studies is proposed. The performance of the modified generation function is examined by comparison with predictions of the currently used generation function and *in situ* observations. Sea-salt aerosol loadings into the atmosphere are calculated for all months of 1998 using the

modified generation function. The direct and indirect effects of sea-salt aerosols on climate and the role of these aerosols in atmospheric chemistry are evaluated.

An extensive database of daily and monthly whitecap coverage values with their corresponding standard deviations for the entire 1998 is compiled. Each retrieved value of whitecap coverage is accompanied by concomitant measurements of wind speed, sea surface temperature, and salinity. Spatial and temporal characteristics of oceanic whitecaps, as well as parameterization of the whitecap coverage in terms of sea surface temperature and salinity, are derived from the database.

Global whitecap coverage is about 3%. The composite effect of all environmental factors yields a more uniform latitudinal distribution of whitecap coverage and sea-salt fluxes compared to those traditionally predicted from wind speed. Sea surface temperature significantly alters the effect of wind speed on whitecap formation and sea-salt production. The effect of low to moderate wind is enhanced in warm waters and the effect of high wind is suppressed in cold waters.

Regression analysis is employed to parameterize the effect of sea surface temperature and incorporate it in the existing relation between whitecap coverage and wind speed. Parameterization with exponential law in terms of both wind speed and sea surface temperature is a better predictor of whitecap coverage and sea-salt production than wind speed alone. The proposed parameterization still cannot predict the full range of variability of whitecap coverage and sea-salt fluxes.

Future work on the generation of sea-salt aerosols from oceanic whitecaps can proceed with improving the estimation of satellite-measured global whitecap coverage, extending the applicability of sea-salt generation function down to $0.1 \mu\text{m}$ radii, and refining the parameterization of whitecap coverage.